

XSM for Windows Setup Guide

This documentation applies to Windows 2000, XP, Vista, 7, 2003, 2008, 2012.

1) Download

From your workstation, connect using an Internet browser to site:

<http://www.hhns.fr/xsm/en/xsmdwld.php>

then select XSM for Windows.

Download install program. For instance, for version 6.90, install file is:

XSM-690-w64-Setup.exe (64-bit version)

or


XSM-690-w32-Setup.exe (32-bit version)

2) Installation

Double-click on install program

(Note for Windows 7, 8: you must have Admin install privileges)

Once XSM is installed, 2 binary programs are located in XSM directory:




hxsm680.exe : the XSM program

hhnsinst680.exe: Software key activation program

In order to use XSM within a batch script, add XSM directory to the PATH environment variable.
Note that XSM program has no dependency with config file or DLL; you can copy/move it to any directory on your Windows system, on local or remote drive..

3) Software Key Activation

Open a command prompt on XSM directory and start XSM without parameter to display its Serial Number:



```
Microsoft Windows XP [version 5.1.2600]
(C) Copyright 1985-2001 Microsoft Corp.

C:\Program Files\XSM>hxsm680
Thanks for testing the 'HHNS Sort/Merge Program PRO - U.6' Program
If you wish to register for the 'HHNS Sort/Merge Program PRO - U.6' Product on THIS machine,
just contact HHNS with the following registration (serial number) key :
0039-9748-5202-L
For further informations : http://www.hhns.fr, email:support@hhns.fr
Please press Enter to continue_
```

Carefully note this Serial Number and connect to XSM Extranet site:

<http://www.hhns.fr/extranet/xsm/>

Log-in with your account info (code+password).

If you don't have an account yet, just create one ; account codes will be send immediately by email.

If you lost your code/password, send us a mail support@hhns.fr

Now click on 

XSM Client Extranet NA0342 - Mozilla Firefox

Fichier Édition Affichage Historique Marque-pages Outils ?

XSM Client Extranet NA0342

www.hhns.fr/extranet/xsm/?op=key_list&lang=en

XSM Client Extranet
login: NA0342 11/06/13 14:11:31 mode: Authenticated user

Home | XSM Home | Logout | XSM Key management | Help |

Client Base NA XSM

Display ☐ Reconduction history ☐ Obsolete keys Key duration : all

NA Location : nav Account : NA0342

notav NA Onsite contacts :
Tel: 0123456789
Fax: Account created on 2011-03-06 04:43:50

edit/change
 suppress

0 hosts :

Software License Activation Keys : = Temporary/Evaluation = Production

No product keys - Click on next button to generate software activation key for a new host generate a product key

and fill in the necessary fields:

XSM Client Extranet NA0342 - Mozilla Firefox

Fichier Édition Affichage Historique Marque-pages Outils ?

XSM Client Extranet NA0342

www.hhns.fr/extranet/xsm/?op=key_form&lang=en&code_client=NA0342&key_id=ne

XSM Client Extranet
login: NA0342 11/06/13 14:11:31 mode: Authenticated user

Home | XSM Home | Logout | XSM Key management | Help |

generate a product key **Key generation for client NA - nav (NA0342)**

Last stable release : 6.80

Product	Version	System	Key type	Serial Number	Date	Expiration
XSM	6.80	Windows 2003	Evaluation	0024-0505-9268-G	2013-06-11	1 month 11/07/2013


Hostname **Comments**

srv12345-dev XSM fast sort evaluation

Back to list Reset **Generate**

In this example :

- Version : 6.80
- System : Windows 2003
- Key type : Evaluation (for temporary activation keys)
- Serial Number : the one you carefully noted ...
- Expiration : 1 month (permanent keys are delivered by HH&S upon purchase)
- Hostname : (to get it, run `uname -n` or `hostname`)
- Comments : Whatever ...

Then click  :

The web page shows the generated key and the command to activate the key:
`hhnsinst680 hxsm680 1234-5678-9012-3456-A`

Copy/paste this command onto Windows console.

Following message should show :

`Program 'hxsm680.exe' successfully installed`

Now just run XSM without parameters, it should display its help.

You're done !

XSM reference guide is available on <http://www.hhns.fr/xsm/en/xsmqref.php>

Tips:

XSM is a single standalone binary.

Once activated, you can copy/paste/rename it/use symbolic links the way you want ; but remember it will run only on the operating system it as been activated for. That is, if you copy it to another operating system, you will need a new activation key for this system.

Platform Specific:

- Generated Serial Numbers are bound to hardware/software
- If you copy an activated XSM binary to another system, then you will need to re-run the install process (hhnsinst, then generate a new key on XSM extranet
- Linux/Windows Virtual Machine on **VMWare/ESX** : the Serial Number is bound to the VM ; You can move the VM to another ESX, XSM activation will be Ok ; VMotion is supported.
- When XSM is installed on a machine A on a shared directory, it is not possible to use it from a remote machine B using the shared directory/

Troubleshooting:

If set-up fails, please check this list :

1. using FTP, are you sure you copied XSM binaries in binary mode ?
2. Are you sure the command prompt was positionned in the directory containing the modules ?
3. Did you rename the binaries ? if so, did you type the correct file names ?

Syntax :

`[path/]Install_module [path/]target_module`

Example :

`./hhnsinst680 hxsm680`

4. Did you use same versions for install_module and target_module ?

Example :

`hhnsinst680 hxsm680` will work fine

`hhnsinst443 hxsm680` will **not** work: You mismatch XSM **versions**

`hhnsinst680_32 hxsm680_64` will **not** work: You mismatch **32/64-bits** binaries

If you have downloaded different versions, search your disk(s) to check another old version is not in another directory specified in \$PATH, which could cause confusion.

5. Linux : did you download binaries corresponding to your Glib C ?

If you see such message when running binary

`hhnsinst680_linux2.6.32-220.el6.32: /lib/libc.so.6: version`

``GLIBC_2.7' not found (required by hhnsinst680_linux2.6.32-220.el6.32)`

then download another version of XSM corresponding to your glibc.

`$ rpm -q glibc` will give show your Glibc level.

6. Do you have Read/Write rights on target_module ?

Try to copy/delete or rename hxsm680 to check

7. Windows Seven, Eight : You must have Admin privileges to launch setup program. Once installed, you can then copy and run hxsm.exe and hhnsinst.exe programs with basic user privilege.

For any question, please contact us support@hhns.fr